
Clifton Magnetic Stirrers Aluminium Hob





Aluminium hotplate stirrers are designed for general laboratory requirements. Featuring a robust aluminium heating surface, with excellent heat transfer, the plate can be precisely controlled, spillages are directed away from the controls and user. Smooth start up and changes in stirring speed ensure that the follower increases or decreases its mixing speed without detaching.

	MSH-1	MSH-1D
GENERAL		
Dimensions	External:190w x 300d x 110h mm	External: 190w x 300d x 110h mm
	Heating Plate size: 160 x 160mm	Heating Plate size: 160 x 160mm
	Heated Area: 160 x 160 mm	Heated Area: 160 x 160 mm
	Packed Size: 40 x 23 x 28 cm	Packed Size: 41 x 26 x 35 cm
Temp Range	Ambient to 325°C	Ambient to 300°C
Temp Control	Analogue	Digital
Stirring Speed	100 - 1500rpm	200 - 1300rpm
Stirring Control	Analogue	Digital
Heater Power (220-240V)	700W	
Voltage	230V 50Hz	
Packed Weight	4.6kg	4.3kg

Clifton Magnetic Stirrer Accessories



Retort Rod

Accessory Code	Description	
8624	10mm diameter x 500mm Stainless steel Retort Rod	
8634	10 x 500mm Mild Steel Retort Rod	

Nickel-Electro Ltd., Oldmixon Crescent, Weston-s-Mare, North Somerset, BS24 9BL, United Kingdom t +44 (0)1934 626691 w www.nickel-electro.co.uk e clifton@nickel-electro.co.uk